



RACUMIN PASTE

Version 3 / MAL
10200007452

1/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER

1.1 Product identifier

Trade name RACUMIN PASTE
Product code (UVP) 05141435

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Local distributor
Bayer Co. (Malaysia) Sdn Bhd
B-19-1 & B-19-2,
The Ascent Paradigm,
No. 1, Jalan SS 7/26A, Kelana
Jaya,
47301 Petaling Jaya, Selangor.
Malaysia

Telephone 03 7801 3088 (office hours)

Telefax 03 7886 3338

1.4 Emergency telephone no.

In case of **POISONING**,
please contact Malaysian Emergency Response Services (999)



Global Incident Response
Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Acute toxicity: Category 4
H302 Harmful if swallowed.

2.2 Label elements



RACUMIN PASTE

Version 3 / MAL
102000007452

2/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

Labelling according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Coumatetralyl



Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

Precautionary statements

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulative (vPvB).

SECTION 3: COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

3.2 Mixtures

Chemical nature

Bait (ready for use) (RB)
Coumatetralyl 0.0375 % w/w

Hazardous components

Name	CAS-No.	Conc. [%]
Coumatetralyl	5836-29-3	0.0375

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. When symptoms develop and persist, seek medical advice. Place and transport victim in stable position (lying sideways).

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



RACUMIN PASTE

Version 3 / MAL
102000007452

3/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms	If large amounts are ingested, the following symptoms may occur: Internal and external bleeding, shock possible Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
4.3 Indication of any immediate medical attention and special treatment needed	
Risks	Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.
Treatment	Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Necessity and efficacy have to be assessed by INR. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Monitor: blood picture.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.



RACUMIN PASTE

Version 3 / MAL
102000007452

4/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Do not store at a temperature above 40 °C.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Coumatetralyl	5836-29-3	0.01 mg/m ³ (TWA)		OES BCS*



RACUMIN PASTE

Version 3 / MAL
102000007452

5/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	paste
Colour	blue
Odour	weak, characteristic
Odour Threshold	No data available
pH	Not applicable, substance/mixture is non-soluble (in water)
Melting point/range	> 200 °C
Boiling Point	No data available
Flash point	No data available



RACUMIN PASTE

Version 3 / MAL
102000007452

6/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

Flammability	The product is not highly flammable.
Auto-ignition temperature	425 °C
Thermal decomposition	from, 110 °C
Ignition temperature	ca. 207 °C
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.19 g/cm ³ (20 °C)
Water solubility	Not dispersible
Partition coefficient: n-octanol/water	Coumatetralyl: log Pow: 1.5 (20 °C) (pH 7)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Impact sensitivity	Not impact sensitive.
Burning number	CN3 Local combustion without spreading (20 °C)
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.



RACUMIN PASTE

Version 3 / MAL
102000007452

7/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 1,000 mg/kg

Acute inhalation toxicity

During intended and foreseen applications, no respirable aerosol is formed.

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye irritation No eye irritation (Rabbit)

Respiratory or skin sensitisation Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Coumatetralyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.

Assessment mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Coumatetralyl is not considered carcinogenic.

Assessment toxicity to reproduction

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Coumatetralyl: May damage the unborn child.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity



RACUMIN PASTE

Version 3 / MAL
102000007452

8/9
Revision Date: 16.02.2022
Print Date: 29.04.2022

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.
Chronic toxicity to fish	Oncorhynchus mykiss (rainbow trout) NOEC: 5 µg/l Exposure time: 21 d The value mentioned relates to the active ingredient.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 14 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 0.1 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient.
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) > 18 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient.
12.2 Persistence and degradability	
Biodegradability	Coumatetralyl: < 60 %, Not readily biodegradable.
Koc	Coumatetralyl: Koc: 258
12.3 Bioaccumulative potential	
Bioaccumulation	Coumatetralyl: Bioconcentration factor (BCF) 11.4 Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Coumatetralyl: Moderately mobile in soils
12.5 Results of PBT and vPvB assessment	
PBT and vPvB assessment	Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL INFORMATION

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.



RACUMIN PASTE

Version 3 / MAL
102000007452

9/9

Revision Date: 16.02.2022
Print Date: 29.04.2022

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

|| WHO-classification: II (Moderately hazardous)

SECTION 16: OTHER INFORMATION

The information contained within this Safety Data Sheet is in accordance to The Industry Code of Practice on Chemical Classification and Hazard Communication 2013 (ICOP) which is promulgated under Section 37 of Occupational Safety and Health Act 1994 (OSHA 1994) and serves as a guidance to chemical suppliers to comply with the provisions of Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U. (A) 310/2013] which have been gazetted on 11 October 2013, hereinafter is referred to as "the Regulations". This data sheet complements the user's instructions, but does not replace them. The information contained therein is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with the current Malaysia legislation, including the Pesticides Act 1974. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--